

12. (previously added) A method according to claim 11, wherein at least one member is an attribute of the global generic class.
13. (previously added) A method according to claim 11, wherein at least one member is a method of the global generic class.
14. (previously added) A method according to claim 12, wherein at least one member is a method of the global generic class.
15. (currently amended) A method according to claim 13, wherein the method of the global generic class is defined by at least one parameter derived from an instance of a generic class (**GenericParameter**).
16. (currently amended) A method according to claim 14, wherein the method of the global generic class is defined by at least one parameter derived from an instance of a generic class (**GenericParameter**).
17. (currently amended) A method according to claim 11, further comprising automatically generating the global generic class and the generic class by means of a tool (20) having respective dialog boxes (23-26) that make it possible to define these classes.
18. (currently amended) A method according to claim 11, further comprising implementing the method in a command interface (11) used for the control of the computer system.

19. (currently amended) A method according to claim 18, wherein the method is implemented by a designer-(C) who is a computer expert, using the command interface used for the control of the computer system by a user-(U) who may not be a computer expert.

20. (currently amended) A method according to claim 12, further comprising automatically generating the global generic class and the generic class by means of a tool (20) having respective dialog boxes (23-26) that make it possible to define these classes.

21. (currently amended) A method according to claim 13, further comprising automatically generating the global generic class and the generic class by means of a tool (20) having respective dialog boxes (23-26) that make it possible to define these classes.

22. (currently amended) A method according to claim 14, further comprising automatically generating the global generic class and the generic class by means of a tool (20) having respective dialog boxes (23-26) that make it possible to define these classes.

23. (currently amended) A method according to claim 15, further comprising automatically generating the global generic class and the generic class by means of a tool (20) having respective dialog boxes (23-26) that make it possible to define these classes.

24. (currently amended) A method according to claim 16, further comprising automatically generating the global generic class and the generic class by means of a tool (20) having respective dialog boxes (23-26) that make it possible to define these classes.

25. (currently amended) A method according to claim 12, further comprising implementing the method in a command interface-(+) used for the control of the computer system.

26. (currently amended) A method according to claim 13, further comprising implementing the method in a command interface-(+) used for the control of the computer system.

27. (currently amended) A method according to claim 14, further comprising implementing the method in a command interface-(+) used for the control of the computer system.

28. (currently amended) A method according to claim 15, further comprising implementing the method in a command interface-(+) used for the control of the computer system.

29. (currently amended) A method according to claim 16, further comprising implementing the method in a command interface-(+) used for the control of the computer system.

30. (currently amended) A method according to claim 17 further comprising implementing the method in a command interface-(+) used for the control of the computer system.